

Environment Protection Licence Monitoring Data

Project Name: The Northern Road Stage 2, Northern Road and Bringelly Road
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road Stage 2, Northern Road and Bringelly Road, Bringelly NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Jun-17
 Monitoring Data for the Month: May-17
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
ND	ND	ND	N/A	N/A	50	ND	6.5-8.5	ND	None Visible	None Visible	Special Frequency 1	ND
			N/A		50		6.5-8.5		None Visible			
			N/A		50		6.5-8.5		None Visible			

Abbreviations:

- mg/L = Milligrams per litre
- NTU = Nephelometric Turbidity Unit
- N/A = Not Applicable
- ND = No Discharge
- NV = None Visible
- V = Visible
- DNS = Did Not Sample
- pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, BRINGELLY, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Jul-17
 Monitoring Data for the Month: Jun-17
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
ND	ND	ND	N/A	N/A	50	ND	6.5-8.5	ND	None visible	None Visible	Event Based	

Abbreviations: mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, BRINGELLY, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Aug-17
 Monitoring Data for the Month: Jul-17
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
ND	ND	ND	N/A	N/A	50	ND	6.5-8.5	ND	None visible	None Visible	Event Based	

Abbreviations: mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2 Bringelly NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Sep-17
 Monitoring Data for the Month: Aug-17
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
ND	ND	ND		N/A	50	ND	6.5-8.5	ND	None visible	ND	Event Based	

Abbreviations:
 mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Oct-17
 Monitoring Data for the Month: Sep-17
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
ND	ND	ND		N/A	50	ND	6.5-8.5	ND	None visible	ND	Event Based	

Abbreviations:
 mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Nov-17
 Monitoring Data for the Month: Oct-17
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
ND	ND	ND		N/A	50	ND	6.5-8.5	ND	None visible	NV	Event Based	

Abbreviations: mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, BRINGELLY, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Dec-17
 Monitoring Data for the Month: Nov-17
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
TB10.55	30-Oct-17	01-Nov-17	N/A	N/A	50	30.00	6.5-8.5	8.09	None visible	None	Event Based	

Abbreviations:
 mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Jan-18
 Monitoring Data for the Month: Dec-17
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
TB10.55	08-Dec-17	11-Dec-17	N/A	N/A	50	50.00	6.5-8.5	7.7	None visible	None visible	Event Based	

Abbreviations:

mg/L =	Milligrams per litre	N/A =	Not Applicable	NV =	None Visible	DNS =	Did Not Sample
NTU =	Nephelometric Turbidity Unit	ND =	No Discharge	V =	Visible	pH =	potential of Hydrogen