

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Feb-19
 Monitoring Data for the Month: Jan-19
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
TB10.55	07-Jan-19	10-Jan-19		37.10	50	10.0	6.5 to 8.5	7.1	None visible	None visible	Special Frequency 1	
T1	07-Jan-19	10-Jan-19		28.50	50	5.0	6.5 to 8.5	8.4	None visible	None visible	Special Frequency 1	
T2	08-Jan-19	10-Jan-19		113.00	50	13.0	6.5 to 8.5	8.1	None visible	None visible	Special Frequency 1	
TB12.00S	08-Jan-19	10-Jan-19		46.30	50	5.0	6.5 to 8.5	7.8	None visible	None visible	Special Frequency 1	
TB89.4N	09-Jan-19	10-Jan-19		66.00	50	8.0	6.5 to 8.5	8.3	None visible	None visible	Special Frequency 1	
TB10.55	11-Jan-19	14-Jan-19		41.00	50	5.0	6.5 to 8.5	8.3	None visible	None visible	Special Frequency 1	
TB12.00S	14-Jan-19	15-Jan-19		63.10	50	8.0	6.5 to 8.5	7.8	None visible	None visible	Special Frequency 1	
TB10.55	14-Jan-19	15-Jan-19		92.60	50	6.0	6.5 to 8.5	8.5	None visible	None visible	Special Frequency 1	
TB10.55	14-Jan-19	15-Jan-19		73.50	50	23.0	6.5 to 8.5	8.2	None visible	None visible	Special Frequency 1	
TB89.40N	14-Jan-19	15-Jan-19		29.70	50	5.0	6.5 to 8.5	7.4	None visible	None visible	Special Frequency 1	
T2	15-Jan-19	16-Jan-19		61.10	50	5.0	6.5 to 8.5	8.1	None visible	None visible	Special Frequency 1	

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, BRINGELLY, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Mar-19
 Monitoring Data for the Month: Feb-19
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
ND				ND	50	ND	6.5 to 8.5	ND	None visible	None Visible	Special Frequency 1	
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, BRINGELLY, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Apr-19
 Monitoring Data for the Month: Mar-19
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
T1	19-Mar-19	20-Mar-19		50.9	50	5.0	6.5 to 8.5	8.5	None visible	None visible	Special Frequency 1	
TB89.40N	19-Mar-19	20-Mar-19		67.1	50	10.0	6.5 to 8.5	8.3	None visible	None visible	Special Frequency 1	
T2	20-Mar-19	21-Mar-19		81.1	50	39.0	6.5 to 8.5	7.7	None visible	None visible	Special Frequency 1	
T1	21-Mar-19	22-Mar-19		55.9	50	33.0	6.5 to 8.5	8.5	None visible	None visible	Special Frequency 1	
T2	20-Mar-19	21-Mar-19		143.0	50	42.0	6.5 to 8.5	7.6	None visible	None visible	Special Frequency 1	
T1	26-Mar-19	29-Mar-19		13.1	50	5.0	6.5 to 8.5	8.5	None visible	None visible	Special Frequency 1	
TB10.55N	26-Mar-19	29-Mar-19		63.6	50	13.0	6.5 to 8.5	8.1	None visible	None visible	Special Frequency 1	
TB12.00S	28-Mar-19	29-Mar-19		47.7	50	5.0	6.5 to 8.5	8.3	None visible	None visible	Special Frequency 1	

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, BRINGELLY, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-May-19
 Monitoring Data for the Month: Apr-19
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
T 1	01-Apr-19	02-Apr-19			50	14.0	6.5 to 8.5	8.4	None visible	None visible	Special Frequency 1	
TB89.40N	02-Apr-19	04-Apr-19			50	<5	6.5 to 8.5	8.3	None visible	None visible	Special Frequency 1	
TB10.55N	03-Apr-19	05-Apr-19			50	37.0	6.5 to 8.5	8.4	None visible	None visible	Special Frequency 1	
TB89.40	05-Apr-19	05-Apr-19			50	7.0	6.5 to 8.5	8.4	None visible	None visible	Special Frequency 1	
TB10.55	08-Apr-19	08-Apr-19			50	14.0	6.5 to 8.5	7.6	None visible	None visible	Special Frequency 1	
TB10.55	08-Apr-19	08-Apr-19			50	11.0	6.5 to 8.5	8.4	None visible	None visible	Special Frequency 1	
TB89.40	08-Apr-19	09-Apr-19			50	7.0	6.5 to 8.5	8.3	None visible	None visible	Special Frequency 1	
TB89.40	08-Apr-19	09-Apr-19			50	12.0	6.5 to 8.5	8.2	None visible	None visible	Special Frequency 1	
T1	09-Apr-19	09-Apr-19			50	40.0	6.5 to 8.5	8.4	None visible	None visible	Special Frequency 1	
TB6300S	10-Apr-19	11-Apr-19			50	13.0	6.5 to 8.5	7.9	None visible	None visible	Special Frequency 1	
TB5400S	10-Apr-19	11-Apr-19			50	18.0	6.5 to 8.5	8.0	None visible	None visible	Special Frequency 1	

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Jun-19
 Monitoring Data for the Month: May-19
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
ND	N/A	N/A		N/A	50	N/A	6.5 to 8.5	N/A	None visible	None visible	Special Frequency 1	
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, BRINGELLY, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Jul-19
 Monitoring Data for the Month: Jun-19
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
TB10.55N	05-Jun-19	07-Jun-19			50	5.0	6.5 to 8.5	8.4	None visible	None visible	Special Frequency 1	
TB10.55N	05-Jun-19	07-Jun-19			50	29.0	6.5 to 8.5	7.6	None visible	None visible	Special Frequency 1	
T2	06-Jun-19	07-Jun-19			50	9.0	6.5 to 8.5	7.3	None visible	None visible	Special Frequency 1	
TB89.40N	12-Jun-19	13-Jun-19			50	12.0	6.5 to 8.5	8.1	None visible	None visible	Special Frequency 1	
TB10.55N	12-Jun-19	13-Jun-19			50	13.0	6.5 to 8.5	7.9	None visible	None visible	Special Frequency 1	
TB10.55N	12-Jun-19	13-Jun-19			50	14.0	6.5 to 8.5	8.2	None visible	None visible	Special Frequency 1	
TB10.55N	18-Jun-19	21-Jun-19			50	19.0	6.5 to 8.5	8.5	None visible	None visible	Special Frequency 1	
TB6300S	20-Jun-19	21-Jun-19			50	24.0	6.5 to 8.5	8.2	None visible	None visible	Special Frequency 1	
T1	26-Jun-19	27-Jun-19			50	7.0	6.5 to 8.5	7.7	None visible	None visible	Special Frequency 1	
					50		6.5 to 8.5		None visible		Special Frequency 1	

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, BRINGELLY, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Aug-19
 Monitoring Data for the Month: Jul-19
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
T1	01-Jul-19	08-Jul-19			50	39.0	6.5 to 8.5	8.4	None visible	None visible	Special Frequency 1	
T2	09-Jul-19	10-Jul-19			50	17.0	6.5 to 8.5	8.3	None visible	None visible	Special Frequency 1	
T1	09-Jul-19	10-Jul-19			50	5.0	6.5 to 8.5	7.7	None visible	None visible	Special Frequency 1	
T3	09-Jul-19	10-Jul-19			50	11.0	6.5 to 8.5	8.2	None visible	None visible	Special Frequency 1	
TB10.55	11-Jul-19	12-Jul-19			50	10.0	6.5 to 8.5	8.0	None visible	None visible	Special Frequency 1	
TB10.55	18-Jul-19	25/719			50	10.0	6.5 to 8.5	8.2	None visible	None visible	Special Frequency 1	
T1	22-Jul-19	25-Jul-19			50	5.0	6.5 to 8.5	8.0	None visible	None visible	Special Frequency 1	
TB12.00S	09-Jul-19	15-Jul-19			50	14.0	6.5 to 8.5	8.2	None visible	None visible	Special Frequency 1	
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, BRINGELLY, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Sep-19
 Monitoring Data for the Month: Aug-19
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
ND		ND		ND	50	ND	6.5 to 8.5	ND	None visible	ND	ND	
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			

Abbreviations: mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, BRINGELLY, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Oct-19
 Monitoring Data for the Month: Sep-19
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
T1	02-Sep-19	04-Sep-19			50	7.0	6.5 to 8.5	8.5	None visible	none visible	Special Frquency 1	
T1	19-Sep-19	23-Sep-19			50	24.0	6.5 to 8.5	8.1	None visible	none visible	Special Frquency 1	
TB12.00S	20-Sep-19	23-Sep-19			50	19.0	6.5 to 8.5	7.9	None visible	none visible	Special Frquency 1	
T2	20-Sep-19	23-Sep-19			50	14.0	6.5 to 8.5	7.6	None visible	none visible	Special Frquency 1	
TB9000S	23-Sep-19	24-Sep-19			50	37.0	6.5 to 8.5	7.6	None visible	none visible	Special Frquency 1	
TB9000S	23-Sep-19	24-Sep-19			50	17.0	6.5 to 8.5	7.8	None visible	none visible	Special Frquency 1	
TB6300S	23-Sep-19	24-Sep-19			50	16.0	6.5 to 8.5	7.9	None visible	none visible	Special Frquency 1	
TB5400S	23-Sep-19	24-Sep-19			50	10.0	6.5 to 8.5	8.3	None visible	none visible	Special Frquency 1	
TB1055N	23/09/2019	24-Sep-19			50	42.0	6.5 to 8.5	7.7	None visible	none visible	Special Frquency 1	
TB1300N	24-Sep-19	25-Sep-19			50	14.0	6.5 to 8.5	8.0	None visible	none visible	Special Frquency 1	
TB1055N	24-Sep-19	25-Sep-19			50	42.0	6.5 to 8.5	8.3	None visible	none visible	Special Frquency 1	
TB1055N	26-Sep-19	27-Sep-19			50	5.0	6.5 to 8.5	8.0	None visible	none visible	Special Frquency 1	

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, BRINGELLY, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Nov-19
 Monitoring Data for the Month: Oct-19
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
TB9000S	09-Oct-19	10-Oct-19		39.0	50	6.0	6.5 to 8.5	8.1	None Visible	none visible	Special Frequency 1	
T1	09-Oct-19	10-Oct-19		5.9	50	<5	6.5 to 8.5	8.2	None Visible	none visible	Special Frequency 1	
TB10.55	14-Oct-19	15-Oct-19		24.2	50	14.0	6.5 to 8.5	8.1	None Visible	none visible	Special Frequency 1	
TB10.55	23-Oct-19	24-Oct-19		82.6	50	30.0	6.5 to 8.5	8.3	None Visible	none visible	Special Frequency 1	
PB12.40S	25-Oct-19	29-Oct-19		7.5	50	12.0	6.5 to 8.5	8.0	None Visible	none visible	Special Frequency 1	
PB12.40S	28-Oct-19	29-Oct-19		6.3	50	6.0	6.5 to 8.5	8.1	None Visible	none visible	Special Frequency 1	
TB10.55	28-Oct-19	29-Oct-19		25.4	50	34.0	6.5 to 8.5	7.2	None Visible	none visible	Special Frequency 1	

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, BRINGELLY, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Dec-19
 Monitoring Data for the Month: Nov-19
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
T1	14-Nov-19	15-Nov-19		27.90	50	10.0	6.5 to 8.5	7.90	None Visible	None Visible	Special Frequency 1	
					50		6.5 to 8.5		None Visible			
					50		6.5 to 8.5		None Visible			
					50		6.5 to 8.5		None Visible			
					50		6.5 to 8.5		None Visible			
					50		6.5 to 8.5		None Visible			
					50		6.5 to 8.5		None Visible			

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: The Northern Road and Bringelly Road Upgrade Stage 2, Bringelly
 Environment Protection Licence No: 20864
 Premise Address: The Northern Road and Bringelly Road Upgrade Stage 2, BRINGELLY, NSW 2556
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Jan-20
 Monitoring Data for the Month: Dec-19
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
T2	13-Dec-19	13-Dec-19			50	34.0	6.5 to 8.5	8.31	None Visible	None Visible	Special Frequency 1	
					50		6.5 to 8.5		None Visible			
					50		6.5 to 8.5		None Visible			
					50		6.5 to 8.5		None Visible			
					50		6.5 to 8.5		None Visible			
					50		6.5 to 8.5		None Visible			
					50		6.5 to 8.5		None Visible			

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen